
	<p>noSnow</p> <p>www.nosno.com info@nosno.com</p>	<p>Italy Dirtcorner</p> <p>Tel: 339.3552199 www.dirtcorner.com info@dirtcorner.com</p>	
<p>noSno, Headquarter 36 Naunton Crescent, CHELTENHAM, GL53 7BD, UK Tel: (UK) 01242 222900 E-Mail: info@nosno.com Web: www.nosno.com <i>No Sno Ltd registered in UK - Company Number: 3727132 - VAT Number: 736 5432 27</i></p>			

noSno ita Catalogue v17 – Jan 2010

FreeStyle-FreeRide MountainBoards



FreeStyle-FreeRide Lite

Based on the classic FreeStyle-FreeRide. The Lite is an all round board designed for the smaller, lighter rider with a shorter, more flexible deck. Adjustable length. Compatible with 8" and 9" tyres.

Deck: FreeStyle-FreeRide Lite
Alloy Axle Hangers: Standard
Rubber Bushes: Extra Soft
Axle: Alloy
Wheels: Primo Lightweight
Tyres: 8" Red 2-ply Lightweight Alpha Tyre
Bindings (not included): noSno Soft / Rage



FreeStyle-FreeRide

The classic all-round board. Strong, stable and ideal for most riders and all types of riding. Based on the original noSno board from the 1990's, the FreeStyle-FreeRide's continued development makes it the most tried and tested board on the market. Adjustable length. Compatible with 8", 9" and 10" tyres.

Deck: FreeStyle-FreeRide
Alloy Axle Hangers: Standard
Rubber Bushes: Soft
Axle: Alloy
Wheels: Primo Lightweight
Tyres: 8" Red 2-ply Lightweight Alpha Tyre
Bindings (not included): noSno Soft / Rage



DownHill

The classic all-round FreeStyle-FreeRide board with the ultimate brake. Ideal for single track and the rider wanting to take it at their own pace. Adjustable length. Compatible with 9" and 10" tyres.

Deck: FreeStyle-FreeRide
Alloy Axle Hangers: Standard
Rubber Bushes: Soft
Axle: Alloy
Wheels: Primo C9 Composite
Tyres: 9" Stryker Tyre
Bindings (not included): noSno Soft / Rage

Pro MountainBoards



Pro FreeStyle-FreeRide

The ultimate all-round board for all types of riding. A perfectly balanced, strong and lightweight board for more advanced or heavier riders. Designed for more response and extra pop with progressive flex through a stiffer deck. Adjustable length. Compatible with 8", 9" and 10" tyres.

Deck: Custom – Stiff (10 x 750)

Alloy Axle Hangers: Pro

Rubber Bushes: Soft

Axle: Alloy

Wheels: Primo Lightweight

Tyres: 8" Red 2-ply Lightweight Alpha Tyre

Bindings (not included): noSno Soft / Rage



Pro FreeStyle-FreeRide Extra Stiff

A perfectly balanced, strong and lightweight board ideal for freestyle, park and boarder-X riding with excellent freeride performance. Designed for more response and maximum pop with progressive flex through a much stiffer deck. Also an ideal all round board for the heaviest riders. Adjustable length. Compatible with 8", 9" and 10" tyres.

Deck: Custom – Extra Stiff (12 x 750)

Alloy Axle Hangers: Pro

Rubber Bushes: Medium

Axle: Alloy

Wheels: Primo Lightweight

Tyres: 8" Red 2-ply Lightweight Alpha Tyre

Bindings (not included): noSno Soft / Rage



Pro FreeRide

A perfectly balanced, stable and lightweight board using flexible composite axles for shock absorption, increased carve and a superior ride. The extra stiff and long deck increases stability at speed and maximises response and pop. Adjustable width and length for personal tuning. Can be under slung and compatible with 8", 9" or 10" tyres.

Deck: Custom – Extra Stiff Long (12 x 770)

Alloy Axle Hangers: Pro

Rubber Bushes: Medium

Axle: Composite - Standard

Wheels: Primo Lightweight

Tyres: 8" Red 2-ply Lightweight Alpha Tyre

Bindings (not included): noSno Soft / Rage



Pro DownHill

The ultimate freeride board with the ultimate brake. Unrivalled performance and stability at high speed has maintained this board's unbeaten record at the World Downhill Championships. Uses flexible composite axles for shock absorption, increased carve and a superior ride. Adjustable length. Compatible with 9" or 10" tyres.

Deck: Custom – Extra Stiff Long (12 x 770)

Alloy Axle Hangers: Pro

Rubber Bushes: Medium

Axle: Composite – Standard with Rear Axle Guard

Wheels: Primo C9 Composite

Tyres: 9" Stryker Tyre

Bindings (not included): noSno Soft / Rage

KiteBoards



Kite FreeStyle-FreeRide

The ultimate all-round kite board. Strong, stable and easily adjustable to suit most riders. Stiffer than a standard mountainboard, the deck is cut-out for weight reduction and to stop sand and dirt building up under the feet. Adjustable length. Compatible with 8", 9" or 10" tyres and suitable for mountainboarding.

Deck: Kite FreeStyle-FreeRide

Alloy Axle Hangers: Standard


Rubber Bushes: Extra Soft

Axle: Alloy

Wheels: Primo Lightweight

Tyres: 8" Red 2-ply Lightweight Alpha Tyre

Bindings (not included): FreeFlex / Soft / Rage



Kite Pro FreeStyle

Perfectly balanced, stable and lightweight, ideal for kite freestyle. Uses flexible composite axles for shock absorption, increased carve and a superior ride. Adjustable width and length for personal tuning. Can be under slung or set up asymmetrically. Compatible with 8", 9" or 10" tyres and suitable for mountainboarding.

Deck: Kite Pro FreeStyle

Alloy Axle Hangers: Pro

Rubber Bushes: Soft

Axle: Composite - Standard

Wheels: Primo Lightweight

Tyres: 8" Red 2-ply Lightweight Alpha Tyre

Bindings (not included): FreeFlex / Soft / Rage



Kite Pro FreeRide

The most stable board on the market ideal for carving and rougher terrain. The extra wide flexible composite axles give great shock absorption, increased carve and a superior ride. Adjustable width and length for personal tuning. Can be under slung or set up asymmetrically. Compatible with 8", 9" or 10" tyres and suitable for mountainboarding.

Deck: Kite FreeStyle-FreeRide

Alloy Axle Hangers: Pro

Rubber Bushes: Soft

Axle: Composite – Extra Wide

Wheels: Primo C9 Composite

Tyres: 9" Stryker Tyre

Bindings (not included): FreeFlex / Soft / Rage

Bindings

Soft

For walking boots and trainers. Standard snowboard 4-hole pattern. UK size 4-14.



Rage Adult

Removable high back. For snowboard boots, walking boots and trainers. UK size 6-14.



Rage Junior

For snowboard boots and high back walking boots. Up to UK size 6.



Hydraulic Disc Brake Systems



Hydraulic Disc Brake Kit

A complete noSno hydraulic disc brake system using Hope, Goodridge and Giant technology for unrivalled braking performance. Features a closed hydraulic system and dial adjustment on the lever for sensitivity. Comes with callipers, discs, disc spacers, bolts, steel braided hoses, handle, grip, lever, and lever guard.



Hydraulic Disc Brake Kit with Mounts & Guards for Alloy Axle

A complete noSno braking system (as above) with calliper mounts, disc guards and bolts for an alloy axle. CNC engineered from noSno heat treated hi-tech aluminium alloy and hand polished to a mirror finish.



Hydraulic Disc Brake Kit with Mounts & Guards for Composite Axle

A complete noSno braking system (as above) with calliper mounts, disc guards and bolts for a composite axle. CNC engineered from noSno heat treated hi-tech aluminium alloy and hand polished to a mirror finish.



Hydraulic Disc Brake Assembly on Alloy Axle with 9" Stryker Tyres

An assembled noSno braking system mounted with disc guards on an alloy axle with 9" striker tyres. Option of noSno 10" tyres.



Hydraulic Disc Brake Assembly on Composite Axle with 9" Stryker Tyres

An assembled noSno braking system mounted with disc guards on a composite axle with 9" striker tyres. Option of noSno 10" tyres.

Decks



FreeStyle-FreeRide Lite – Flexible Short

A deck designed for lightweight, smaller riders for all types of riding. Shorter and more flexible than the standard FreeStyle-FreeRide deck. CNC engineered from noSno specialist epoxy composite. Adjustable length.



FreeStyle-FreeRide – Standard

Based on the classic original noSno board from the 1990's, the FreeStyle-FreeRide's continued development makes it the most tried and tested deck on the market. The complete all-rounder, ideal for most riders and all types of riding. CNC engineered from noSno specialist epoxy composite. Adjustable length and extra binding positions.



Custom Decks

Designed for more response, progressive flex and superior pop. Machined rails for smooth board slides. CNC engineered from noSno specialist epoxy composite. Adjustable length and extra binding positions. Choice of 4 for custom requirements.

Custom - Stiff (10 x 750)

Custom - Stiff Long (10 x 770)

Custom - Extra Stiff (12 x 750)

Custom - Extra Stiff Long (12 x 770)



Kite FreeStyle-FreeRide - Stiff

Based on the classic FreeStyle-FreeRide Mountainboard the deck is stiffer and shaped to accommodate Velcro bindings. The cut-outs for weight reduction also stop sand and dirt building up under the feet. Ideal for kite boarding and suitable for mountainboarding. CNC engineered from noSno specialist epoxy composite. Adjustable length. Multiple Velcro binding positions and compatible with Soft and Rage Bindings.



Kite Pro FreeStyle - stiff with Cut-Outs

The most unique shape on the market with centre cut-outs and a wide, stiff deck. Ideal for freestyle kite boarding and suitable for mountainboarding. CNC engineered from noSno specialist epoxy composite. Adjustable length. Multiple Velcro binding positions and compatible with Soft and Rage Bindings.

Alloy Axle Hangers, Axles, Stubs and Guard



Alloy Axle Hanger – Standard

High strength to weight ratio with milled out centre section for weight reduction. CNC engineered from noSno heat treated hi-tech aluminium alloy, cold bent to retain maximum strength and hand polished to a mirror finish.




Alloy Axle Hanger – Pro

Ideal for freestyle and heavier or more aggressive freeriders. Increased strength over standard axle hanger for similar weight. CNC engineered from noSno heat treated hi-tech aluminium alloy. Extensively milled for maximum weight reduction and cold bent to retain maximum strength. Aesthetically engineered with a milled noSno logo and hand polished to a mirror finish.



Alloy Axle

Excellent strength to weight ratio and a well proven history for long lasting reliability. Ideal for boarder-X, freestyle and smooth grinds on rails. CNC engineered from noSno heat treated hi-tech aluminium alloy with specialist cold welding to retain maximum strength. Hardened steel inserts for the rubber bush bolts are glued and threaded. Shaped to match both the Standard and Pro Axle Hanger and hand polished to a mirror finish.



Composite Axle with Stubs (set)

For better shock absorption, more stability, increased carve and a superior ride. Adjustable width. Can be under slung or set up asymmetrically. CNC engineered from noSno specialist epoxy composite. Not recommended for freestyle jumps or rails.

Composite – Standard (on right in image)

Composite – Standard for Brake (on left in image)

Composite – Extra Wide

Composite – Extra wide for Brake

Alloy Stub for Composite Axle

CNC engineered from noSno heat treated hi-tech aluminium alloy and hand polished to a mirror finish.



Axle Guard

Protects the rear axle from damage by rocks and highly recommended for composite axles. Also reduces the risk of rear axle hang-ups and helps the board float over seriously rough and rocky terrain. CNC engineered from noSno heat treated hi-tech aluminium alloy. Extensively milled for maximum functionality and minimum weight. Aesthetically engineered with a milled noSno logo and hand polished to a mirror finish.

Product Group	Product Description
Rubber Bushes (8)	Extra Soft - White Dot Soft - Yellow Dot Medium - Red Dot Hard - Green Dot
Complete Wheels (inc bearings & spacer - each)	Primo Lightweight with 8" Black noSno Alpha Competition 2-Ply Tyre Primo Lightweight with 8" Black noSno Alpha FreeRide 4-Ply Tyre Primo Lightweight with 8" Red 2-ply Lightweight Alpha Tyre Primo C9 with 9" Stryker Tyre Primo C9 with 10" noSno Tyre
Wheels (each)	Primo Lightweight (8" Tyres Only) Primo C9 Composite (8", 9" & 10" Tyres)
Bearings & Spacers	Double Sealed Extra Long Life Bearings (8) Primo Lightweight Wheel Spacers (4) Primo C9 Composite Wheel Spacers (4)
Tyres & Tubes (each)	8" Black noSno Alpha Competition 2-Ply Tyre – Extra Grip Compound 8" Black noSno Alpha FreeRide 4-Ply Tyre 8" Red 2-ply Lightweight Alpha Tyre 9" Stryker Tyre 10" noSno Tyre 8" Tube 9" Tube 10" Tube Set of Tyres (any 4) Set of Tyres & Tubes (any 4)
Hydraulic Disc	Calliper and Pads
Brake Components, Mounts and Guards (each)	Calliper Mount for Alloy Axles Calliper Mount for Composite Axles Disc Guard for Alloy Axles Disc Guard for Composite Axles Brake Disc Steel Braided Calliper Hose (290mm) Steel Braided Lever Hose (2350mm) Brake Lever with sensitivity adjustment Alloy Handle - noSno heat treated hi-tech aluminium alloy. Ergonomically Moulded Handle Grip Brake Lever Guard Brake Fluid – Dot 5.1 (250ml)
Soft Binding Components (each)	Ankle Strap – Left with Ratchet Ankle Strap - Right with Ratchet Toe/Heel Strap - Left with Ratchet Toe/Heel Strap - Right with Ratchet Ladder Strap Ratchet
Rage Binding Components (each)	Ankle Strap – Left with Ratchet Ankle Strap – Right with Ratchet Toe Strap - Left with Ratchet Toe Strap - Right with Ratchet Ladder Strap Ratchet
Product Group	Product Description

Complete	FreeStyle-FreeRide Lite
Fixings Packs	FreeStyle-FreeRide
(all fixings are highest grade available. Only use genuine noSno fixings)	Pro FreeStyle Pro FreeRide Pro DownHill Kite FreeStyle-FreeRide – Stainless Kite Pro FreeStyle / Kite Pro FreeRide - Stainless
Deck Bolts	FreeStyle-FreeRide Lite (2) FreeStyle-FreeRide (6) Custom (6) Kite – Stainless (10)
Binding Fixings	Soft - Bolts & Washers (8) Soft - Bolts & Washers (8) – Stainless Rage - Bolts (8) Strap Bolt, T-Nut & Washer
Rubber Bush Fixings	Bolts & Top Washers (4) Bolts & Top Washers - Stainless (4) Top Washers (4)
Wheel Bolt Fixings	Standard - Bolts (4) & Washers (12) Kite - Bolts (4) & Washers (12) - Stainless Pro DownHill - Bolts (4), Washers (12), Spacers (2) & Shims (8) Spring Washers (8) Axle Washers (4)
Axle, Alloy Stub, Calliper Mount and Disc Guard Fixings	Alloy Stub Bolts for Composite Axle (16) Alloy Stub Bolts for Composite Axle (16) - Stainless Alloy Stub & Calliper Mount Bolts for Composite Axle for Brake (16) Calliper Mount Bolts for Alloy Axle (4) Disc Guard Bolts (4) Nylon Grub Screws (12)
Hydraulic Disc Brake Fixings	Disc Spacers (6) Disc Bolts (6) Calliper Bolts (4) Steel Braided Hose Clamp and Bolt (each)
Tools	4mm Allen Key (Use only high quality Allen keys to avoid damaging the bolts)
	5mm Allen Key 10mm Allen Key Tool Kit (4, 5 & 10mm high quality engineer's Allen Keys)
noSno Film (45mins)	Us & Friends – A journey through the early years of noSno - VHS

Due to the nature of the sport participants or others may suffer serious injury and under no circumstances whatsoever can noSno be held responsible. Ensure you get training before using your board and ride responsibly. Always wear protective kit including a helmet and ensure your board is maintained correctly. noSno guarantee components against manufacturing defects for 2 years. Price and product specifications are subject to change. noSno retain Title of Deeds until payment for goods has been made in full. Full terms & conditions are available on request.